

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A 体積 V	
測点	種別	区間距離										
No. 0 (B.P)	走路幅		3.450									
	測定位置		馬場柵	CL				馬場柵	砂止め	側溝		
	点間距離	0	0.500	1.000	4.000	5.000	5.000	2.860	0.590	0.960		
	現況高		13.206	13.154	13.189	13.237	13.165	13.079	12.917	12.860	12.828	
	計画高		13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.960	12.828	
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	13.73%		
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.124	0.100	0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.177	0.066			
	断面積					0.243						
	No. 1	走路幅		3.400								A
測定位置		20	馬場柵	CL				馬場柵	砂止め	側溝		
点間距離			0.500	1.000	4.000	5.000	5.000	2.860	0.540	0.930		
現況高			13.206	13.137	13.189	13.237	13.171	13.100	12.933	12.844	12.824	
計画高			13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.944	12.824	
計画勾配			2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	17.96%		
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.108	0.100	0.000	
点間面積			0.000	0.000	0.000	0.000	0.000	0.154	0.056			
断面積						0.211					V	4.54 m3
No. 2		走路幅		3.430								A
	測定位置	20	馬場柵	CL				馬場柵	砂止め	側溝		
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	0.570	0.880		
	現況高		13.177	13.143	13.191	13.251	13.162	13.095	12.883	12.837	12.785	
	計画高		13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.937	12.785	
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	18.25%		
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.158	0.100	0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.226	0.074			
	断面積					0.299					V	5.10 m3
	No. 3	走路幅		3.380								A
測定位置		20	馬場柵	CL				馬場柵	砂止め	側溝		
点間距離			0.500	1.000	4.000	5.000	4.844	0.156	2.860	0.520	0.920	
現況高			13.260	13.155	13.179	13.245	13.163	13.090	13.084	12.868	12.806	12.777
計画高			13.060	13.070	13.090	13.170	13.120	13.072	13.070	13.041	12.906	12.777
計画勾配			2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	25.96%		
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.173	0.100	0.000
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.247	0.071		
断面積						0.318					V	6.18 m3
No. 4		走路幅		3.390								A
	測定位置	20	馬場柵	CL				馬場柵	砂止め	側溝		
	点間距離		0.500	1.000	4.000	5.000	4.468	0.532	2.860	0.530	0.880	
	現況高		13.238	13.167	13.196	13.246	13.167	13.098	13.078	12.859	12.851	12.759
	計画高		13.060	13.070	13.090	13.170	13.120	13.075	13.070	13.041	12.951	12.759
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	16.98%		
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.182	0.100	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.260	0.075		
	断面積					0.335					V	6.53 m3

笠松競馬場本走路舗装断面計算表 (修正(補充層))												面積 A		
測点	種別	区間距離										体積 V		
No. 5	走路幅		3.350									A	67.40 m2	
	測定位置	20	馬場柵	CL				馬場柵 砂止め 側溝						
	点間距離		0.500	1.000	4.000	5.000	4.250	0.750	2.860	0.490	0.880			
	現況高		13.203	13.165	13.192	13.242	13.167	13.101	13.079	12.861	12.818			12.803
	計画高		13.060	13.070	13.090	13.170	13.120	13.078	13.071	13.042	12.918			12.803
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	25.31%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.181	0.100			0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.259	0.069				
	断面積					0.328								
														V
No. 6	走路幅		3.380									A	67.30 m2	
	測定位置	20	馬場柵	CL				馬場柵 砂止め 側溝						
	点間距離		0.500	1.000	4.000	5.000	4.211	0.789	2.860	0.520	0.830			
	現況高		13.165	13.182	13.182	13.250	13.169	13.107	13.075	12.852	12.794			12.735
	計画高		13.060	13.070	13.090	13.170	13.120	13.078	13.070	13.041	12.894			12.735
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	28.27%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.189	0.100			0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.270	0.075				
	断面積					0.345								
														V
No. 7	走路幅		3.380									A	67.60 m2	
	測定位置	20	馬場柵	CL				馬場柵 砂止め 側溝						
	点間距離		0.500	1.000	4.000	5.000	3.718	1.282	2.860	0.520	0.670			
	現況高		13.215	13.175	13.183	13.247	13.167	13.115	13.079	12.828	12.857			12.719
	計画高		13.060	13.070	13.090	13.170	13.120	13.083	13.070	13.041	12.957			12.719
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	16.15%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.213	0.100			0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.305	0.081				
	断面積					0.386								
														V
No. 8	走路幅		3.310									A	66.90 m2	
	測定位置	20	馬場柵	CL				馬場柵 砂止め 側溝						
	点間距離		0.500	1.000	4.000	5.000	1.803	3.197	2.860	0.450	0.650			
	現況高		13.153	13.175	13.190	13.229	13.149	13.115	13.070	12.841	12.789			12.706
	計画高		13.060	13.070	13.090	13.170	13.120	13.102	13.070	13.041	12.889			12.706
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	33.78%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.200	0.100			0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.286	0.068				
	断面積					0.354								
														V
No. 9	走路幅		3.330									A	66.40 m2	
	測定位置	20	馬場柵	CL				馬場柵 砂止め 側溝						
	点間距離		0.500	1.000	4.000	5.000	2.561	2.439	2.860	0.470	0.350			
	現況高		13.132	13.166	13.206	13.232	13.157	13.129	13.070	12.924	12.911			12.714
	計画高		13.060	13.070	13.090	13.170	13.120	13.094	13.070	13.041	13.011			12.714
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	6.38%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.117	0.100			0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.167	0.051				
	断面積					0.218								
														V

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A								
測点	種別	区間距離									体積 V								
No. 10 (BC.1)	走路幅		3.330								A	66.60 m ²							
	測定位置	20	馬場柵	CL				馬場柵	砂止め	側溝									
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	0.470										
	現況高		13.073	13.163	13.189	13.206	13.148	13.090	12.923	12.871			12.695						
	計画高		13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.971			12.695						
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	14.89%										
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.118	0.100			0.000						
	点間面積		0.000	0.000	0.000	0.000	0.000	0.169	0.051										
	断面積		0.220										V	4.38 m ³					
	No. 11	走路幅		5.445									A	87.75 m ²					
測定位置		20	馬場柵	CL				馬場柵	砂止め	側溝									
点間距離			0.329	1.000	4.405	5.000	5.000	5.015	0.430										
現況高			13.121	13.133	13.169	13.246	13.156	13.098	12.840	12.745	12.687								
計画高			13.055	13.062	13.082	13.170	13.120	13.070	13.020	12.845	12.687								
計画勾配			2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	40.70%										
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.180	0.100	0.000								
点間面積			0.000	0.000	0.000	0.000	0.000	0.451	0.060										
断面積			0.512								V	7.32 m ³							
No. 12		走路幅		3.500								A			89.45 m ²				
	測定位置	20	馬場柵	CL				馬場柵											
	点間距離		0.500	1.000	4.943	5.000	5.000	5.000	2.500	1.000									
	現況高		13.082	13.175	13.229	13.292	13.337	13.394	13.350	13.238	13.039								
	計画高		13.041	13.051	13.071	13.170	13.270	13.295	13.270	13.245	13.039								
	計画勾配		2.00%	2.00%	2.00%	2.00%	0.50%	0.50%	0.50%	0.50%	5.89%								
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.007	0.255		0.000						
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.017	0.328	0.128								
	断面積		0.473								V		9.84 m ³						
	No. 13	走路幅		0.000									A	0.00 m ²					
測定位置		20	馬場柵	CL				U天											
点間距離			0.500	1.000	5.034	5.000	5.000	2.956	0.988	0.972	2.050	3.034			5.000	5.000	5.000	4.547	0.919
現況高			13.144	13.203	13.225	13.290	13.334	13.401	13.395	13.359	13.477	13.349			13.441	13.443	13.389	13.390	13.311
計画高			13.039	13.049	13.069	13.170	13.270	13.295	13.280	13.359	13.477	13.349			13.355	13.351	13.346	13.342	13.311
計画勾配			2.00%	2.00%	2.00%	2.00%	0.50%	0.50%	-8.00%	-12.14%	6.24%	-0.20%			0.08%	0.10%	0.08%	0.68%	
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	0.000	0.000	0.000	0.000
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	0.000	0.000	0.000	
断面積			0.000								V	0.00 m ³							
No. 14		走路幅		2.900								A			29.00 m ²				
	測定位置	20	馬場柵	CL				G天											
	点間距離		0.500	1.000	5.087	5.000	5.000	3.000	2.000	0.900	4.100		5.000	5.000		5.000	1.463		
	現況高		13.186	13.189	13.220	13.283	13.270	13.314	13.282	13.240	13.272		13.281	13.245		13.192	13.170	13.096	
	計画高		13.038	13.048	13.068	13.170	13.270	13.295	13.280	13.270	13.272		13.245	13.213		13.181	13.149	13.096	
	計画勾配		2.00%	2.00%	2.00%	2.00%	0.50%	0.50%	0.50%	-0.22%	0.66%		0.64%	0.64%		0.64%	3.62%		
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.030	0.000		0.000	0.000		0.000	0.000	0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.030	0.013	0.000		0.000	0.000		0.000	0.000		
	断面積		0.043								V		0.43 m ³						

笠松競馬場本走路舗装断面計算表 (修正(補充層))										面積 A						
測点	種別	区間距離								体積 V						
No. 15	走路幅		3.953							A	68.53 m ²					
	測定位置	20	馬場柵	CL			馬場柵 U天									
	点間距離		0.500	1.000	5.247	5.000	5.000	3.053	0.900							
	現況高		13.195	13.200	13.221	13.258	13.278	13.302	13.234			13.131				
	計画高		13.035	13.045	13.065	13.170	13.270	13.295	13.280			13.131				
	計画勾配		2.00%	2.00%	2.00%	2.00%	0.50%	0.50%	16.56%							
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.046			0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.070	0.021							
	断面積		0.091									V	1.34 m ³			
	No. 16	走路幅		0.000								A	39.53 m ²			
測定位置		20	馬場柵	CL			馬場柵									
点間距離			0.500	1.000	5.299	5.000	5.000	3.001	0.580							
現況高			13.214	13.199	13.222	13.275	13.277	13.323	13.285	13.392						
計画高			13.034	13.044	13.064	13.170	13.270	13.295	13.280	13.392						
計画勾配			2.00%	2.00%	2.00%	2.00%	0.50%	0.50%	-19.31%							
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000						
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000							
断面積			0.000							V	0.91 m ³					
No. 17		走路幅		2.972							A			29.72 m ²		
	測定位置	20	馬場柵	CL			馬場柵									
	点間距離		0.500	1.000	4.905	5.000	5.000	1.823	2.122	0.850						
	現況高		13.241	13.202	13.226	13.261	13.275	13.302	13.236	13.235		13.282				
	計画高		13.042	13.052	13.072	13.170	13.270	13.295	13.277	13.256		13.282				
	計画勾配		2.00%	2.00%	2.00%	2.00%	0.50%	1.00%	1.00%	-3.06%						
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.041	0.021		0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.037	0.066		0.009				
	断面積		0.112							V		1.12 m ³				
	No. 18	走路幅		3.927								A	68.99 m ²			
測定位置		20	馬場柵	CL			馬場柵									
点間距離			0.500	1.000	4.273	5.000	5.000	5.000	3.227	0.700						
現況高			12.984	13.137	13.217	13.293	13.243	13.296	13.257	13.157	13.048					
計画高			13.055	13.065	13.085	13.170	13.270	13.295	13.245	13.213	13.048					
計画勾配			2.00%	2.00%	2.00%	2.00%	0.50%	1.00%	1.00%	23.57%						
差(現-計)			0.071	0.000	0.000	0.000	0.027	0.000	0.000	0.056	0.000					
点間面積			0.018	0.000	0.000	0.067	0.067	0.000	0.090	0.020						
断面積			0.263							V	3.75 m ³					
No. 19		走路幅		15.000							A			189.27 m ²		
	測定位置	20	馬場柵	CL			馬場柵									
	点間距離		0.500	1.000	2.690	5.000	5.000	5.000	5.000	5.000		1.439	1.531			
	現況高		13.148	13.180	13.251	13.266	13.252	13.280	13.217	13.245		13.309	13.316		13.314	13.268
	計画高		13.086	13.096	13.116	13.170	13.270	13.295	13.245	13.195		13.309				
	計画勾配		2.00%	2.00%	2.00%	2.00%	0.50%	1.00%	1.00%	-2.28%						
	差(現-計)		0.000	0.000	0.000	0.000	0.018	0.015	0.028	0.000		0.000				
	点間面積		0.000	0.000	0.000	0.045	0.082	0.107	0.070	0.000						
	断面積		0.305							V		5.68 m ³				

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A				
測点	種別	区間距離									体積 V				
No. 20	走路幅		0.000								A	150.00 m2			
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	1.677	4.268	0.732	2.788	2.212	3.000			3.223	1.600	
	現況高		13.224	13.235	13.256	13.277	13.296	13.301	13.259	13.271			13.264	13.275	13.276
	計画高		13.056	13.066	13.086	13.120	13.205	13.220	13.248	13.270			13.240	13.208	13.276
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%			1.00%	-4.25%	
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	0.000	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	0.000	
	断面積		0.000										V	3.05 m3	
	No. 21	走路幅		0.000									A	0.00 m2	
測定位置		20	馬場柵	CL				馬場柵							
点間距離			0.500	1.000	1.373	5.000	5.000	5.000	1.277	1.190					
現況高			13.201	13.296	13.316	13.321	13.314	13.317	13.225	13.223	13.205				
計画高			13.053	13.063	13.083	13.110	13.210	13.310	13.225	13.223	13.205				
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	1.70%	0.16%	1.51%					
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000								V	0.00 m3			
No. 22		走路幅		0.000								A			0.00 m2
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	0.300	2.274	5.000	5.000	5.000	0.776	1.470				
	現況高		13.277	13.287	13.307	13.313	13.346	13.336	13.344	13.246	13.256		13.160		
	計画高		13.059	13.069	13.089	13.095	13.140	13.240	13.340	13.246	13.238		13.160		
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.88%	1.00%	5.32%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000		
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000		
	断面積		0.000								V		0.00 m3		
	No. 23	走路幅		0.000									A	0.00 m2	
測定位置		20	馬場柵	CL				馬場柵							
点間距離			0.500	1.000	1.090	3.427	5.000	5.000	4.473	0.500					
現況高			13.252	13.262	13.282	13.304	13.360	13.359	13.366	13.340	13.459				
計画高			13.039	13.049	13.069	13.091	13.160	13.260	13.360	13.315	13.415				
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	-20.00%					
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000					
断面積			0.000								V	0.00 m3			
No. 24		走路幅		0.000								A			0.00 m2
	測定位置	20	馬場柵	CL				馬場柵		馬場柵					
	点間距離		0.500	1.000	2.310	4.000	5.000	5.000	1.000	2.330	0.820				
	現況高		13.304	13.314	13.334	13.380	13.410	13.386	13.410	13.389	13.372		13.333		
	計画高		13.124	13.134	13.154	13.200	13.280	13.380	13.330	13.320	13.297		13.333		
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	-4.39%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000		
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000								V		0.00 m3		

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A 体積 V				
測点	種別	区間距離													
No. 25	走路幅		0.000									A	0.00		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.360	3.860	5.000	5.000	1.000	2.690	0.740				
	現況高		13.357	13.367	13.387	13.454	13.518	13.516	13.519	13.499	13.451			13.448	
	計画高		13.226	13.236	13.256	13.323	13.400	13.500	13.450	13.440	13.413			13.448	
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	-4.73%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000											V	0.00
	No. 26	走路幅		0.000										A	0.00
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.050	0.780				
現況高			13.486	13.496	13.516	13.596	13.632	13.552	13.436	13.420	13.425	13.417			
計画高			13.360	13.370	13.390	13.450	13.530	13.480	13.430	13.420	13.390	13.309			
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	10.38%				
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000									V	0.00		
No. 27		走路幅		0.000									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.100	0.740				
	現況高		13.616	13.626	13.646	13.726	13.755	13.666	13.597	13.595	13.531	13.489			
	計画高		13.490	13.500	13.520	13.580	13.660	13.610	13.560	13.550	13.519	13.489			
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	4.05%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000									V		0.00	
	No. 28	走路幅		0.000										A	0.00
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.080	0.745				
現況高			13.767	13.777	13.797	13.877	13.932	13.829	13.753	13.738	13.663	13.646			
計画高			13.630	13.640	13.660	13.720	13.800	13.750	13.700	13.690	13.659	13.578			
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	10.87%				
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000									V	0.00		
No. 29		走路幅		0.000									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.080	0.740				
	現況高		13.957	13.967	13.987	14.067	14.092	14.002	13.883	13.892	13.870	13.840			
	計画高		13.800	13.810	13.830	13.890	13.970	13.920	13.870	13.860	13.829	13.749			
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	10.81%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000									V		0.00	

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A	
測点	種別	区間距離									体積 V	
No. 30	走路幅		4.070								A	40.70 m ²
	測定位置	20	馬場柵	CL				馬場柵	馬場柵			
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.070	0.760	
	現況高		14.165	14.175	14.195	14.275	14.316	14.218	14.078	14.042	14.045	14.067
	計画高		14.030	14.040	14.060	14.120	14.200	14.150	14.100	14.090	14.059	13.969
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	11.84%	
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.022	0.048	0.014	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.055	0.035	0.095	0.005
	断面積		0.190								V	1.90 m ³
	No. 31	走路幅		0.000								A
測定位置		20	馬場柵	CL				馬場柵	馬場柵			
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.820	
現況高			14.375	14.385	14.405	14.485	14.518	14.420	14.346	14.350	14.350	14.301
計画高			14.250	14.260	14.280	14.340	14.420	14.370	14.320	14.310	14.280	14.301
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	-2.56%	
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
断面積			0.000								V	1.90 m ³
No. 32		走路幅		0.000								A
	測定位置	20	馬場柵	CL				馬場柵	馬場柵			
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.810	
	現況高		14.606	14.719	14.636	14.696	14.719	14.662	14.621	14.616	14.591	14.540
	計画高		14.470	14.480	14.500	14.560	14.640	14.590	14.540	14.530	14.500	14.508
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	-0.99%	
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	断面積		0.000								V	0.00 m ³
	No. 33	走路幅		0.000								A
測定位置		20	馬場柵	CL				馬場柵	馬場柵			
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800	
現況高			14.749	14.759	14.779	14.859	14.892	14.807	14.712	14.732	14.680	14.695
計画高			14.630	14.640	14.660	14.720	14.800	14.750	14.700	14.690	14.660	14.695
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	-4.38%	
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
断面積			0.000								V	0.00 m ³
No. 34		走路幅		0.000								A
	測定位置	20	馬場柵	CL				馬場柵	馬場柵			
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800	
	現況高		14.800	14.810	14.830	14.890	14.937	14.847	14.769	14.761	14.710	14.646
	計画高		14.680	14.690	14.710	14.770	14.850	14.800	14.750	14.740	14.710	14.646
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	8.00%	
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	断面積		0.000								V	0.00 m ³

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A 体積 V				
測点	種別	区間距離													
No. 35	走路幅		0.000									A	0.00		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800				
	現況高		14.714	14.724	14.743	14.806	14.857	14.761	14.692	14.690	14.640			14.627	
	計画高		14.610	14.620	14.640	14.700	14.780	14.730	14.680	14.670	14.640			14.622	
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	2.25%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000											V	0.00
	No. 36	走路幅		0.000										A	0.00
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.770				
現況高			14.501	14.511	14.531	14.591	14.652	14.572	14.479	14.478	14.430	14.415			
計画高			14.400	14.410	14.430	14.490	14.570	14.520	14.470	14.460	14.430	14.415			
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	1.95%				
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000									V	0.00		
No. 37		走路幅		0.000									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.820				
	現況高		14.248	14.258	14.278	14.338	14.371	14.312	14.276	14.261	14.230	14.148			
	計画高		14.150	14.160	14.180	14.240	14.320	14.270	14.220	14.210	14.180	14.148			
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	3.90%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	断面積		0.000									V		0.00	
	No. 38	走路幅		0.000										A	0.00
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.157	4.000	5.000	4.375	0.625	1.000	2.863	0.840			
現況高			14.005	14.015	14.035	14.098	14.149	14.125	14.129	14.129	14.123	14.054	14.031		
計画高			13.927	13.937	13.957	14.020	14.100	14.050	14.006	14.000	13.990	13.961	14.031		
計画勾配			2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	1.00%	1.00%	-8.33%			
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
断面積			0.000									V	0.00		
No. 39		走路幅		0.000									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.311	3.050	5.000	5.000	4.562	0.797					
	現況高		13.761	13.771	13.791	13.853	13.890	13.880	13.916	13.894	13.796				
	計画高		13.623	13.633	13.653	13.719	13.780	13.880	13.830	13.784	13.796				
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	-1.51%					
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000					
	断面積		0.000									V		0.00	

笠松競馬場本走路舗装断面計算表 (修正(補充層))												面積 A 体積 V			
測点	種別	区間距離													
No. 40	走路幅		0.000									A	0.00		
	測定位置	20	馬場柵	CL						馬場柵					
	点間距離		0.500	1.000	3.668	2.160	5.000	5.000	5.000	5.000	0.823			0.789	
	現況高		13.545	13.546	13.570	13.678	13.689	13.681	13.710	13.769	13.699			13.670	13.598
	計画高		13.363	13.373	13.393	13.467	13.510	13.610	13.710	13.660	13.610			13.602	13.598
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%			0.51%	
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	0.000
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			0.000	
	断面積		0.000											V	0.00
	No. 41	走路幅		0.000										A	0.00
測定位置		20	馬場柵	CL						馬場柵					
点間距離			0.500	1.000	3.845	1.380	5.000	5.000	5.000	1.385	0.960				
現況高			13.496	13.506	13.526	13.554	13.575	13.555	13.595	13.621	13.587	13.576			
計画高			13.261	13.271	13.291	13.367	13.395	13.495	13.595	13.545	13.531	13.576			
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	-4.69%				
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000									V	0.00		
No. 42		走路幅		0.000									A		
	測定位置	20	馬場柵	CL						馬場柵	側溝				
	点間距離		0.500	1.000	3.979	0.740	5.000	5.000	4.311	0.890					
	現況高		13.430	13.440	13.460	13.519	13.527	13.505	13.535	13.516	13.500				
	計画高		13.211	13.221	13.241	13.320	13.335	13.435	13.535	13.492	13.500				
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	-0.90%					
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000					
	断面積		0.000									V		0.00	
	No. 43	走路幅		4.792										A	47.92
測定位置		20	馬場柵	CL						馬場柵	側溝				
点間距離			0.500	1.000	4.148	0.290	5.000	5.000	4.022	0.770					
現況高			13.387	13.397	13.417	13.463	13.465	13.452	13.467	13.374	13.387				
計画高			13.146	13.156	13.176	13.259	13.265	13.365	13.465	13.425	13.387				
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	4.94%					
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.051	0.000				
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.103	0.020					
断面積			0.122									V	1.22		
No. 44		走路幅		5.393									A		
	測定位置	20	馬場柵	CL						馬場柵	側溝				
	点間距離		0.500	1.500	4.065	5.000	3.542	1.458	3.935	0.900					
	現況高		13.348	13.358	13.388	13.425	13.425	13.427	13.427	13.435	13.365				
	計画高		13.109	13.119	13.149	13.230	13.330	13.401	13.430	13.391	13.365				
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	2.89%					
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.003	0.000	0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.002	0.006	0.000					
	断面積		0.008									V		1.30	

笠松競馬場本走路舗装断面計算表 (修正(補充層))											面積 A				
測点	種別	区間距離									体積 V				
No. 45	走路幅		0.000								A	53.93 m2			
	測定位置	20	馬場柵	CL				馬場柵	側溝						
	点間距離		0.500	1.000	3.752	5.000	5.000	3.868	0.910						
	現況高		13.228	13.293	13.353	13.399	13.363	13.380	13.348	13.329					
	計画高		13.075	13.085	13.105	13.180	13.280	13.380	13.341	13.329					
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.32%						
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000					
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000						
	断面積		0.000										V	0.08 m3	
	No. 46	走路幅		0.000									A	0.00 m2	
測定位置		20	馬場柵	CL				馬場柵	側溝						
点間距離			0.500	1.000	3.351	5.000	5.000	1.665	3.335	1.299	0.680				
現況高			13.280	13.260	13.350	13.376	13.367	13.380	13.380	13.358	13.351	13.296			
計画高			13.083	13.093	13.113	13.180	13.279	13.280	13.380	13.363	13.330	13.317			13.296
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	3.09%				
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000				
断面積			0.000								V	0.00 m3			
No. 47		走路幅		2.472								A			24.72 m2
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	3.728	4.969	0.031	0.196	4.804	5.000	1.742		0.730		
	現況高		13.191	13.270	13.316	13.407	13.367	13.367	13.369	13.380	13.335		13.287	13.302	
	計画高		13.075	13.085	13.105	13.180	13.279	13.280	13.284	13.380	13.330		13.313	13.302	
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%		1.51%		
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.026	0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.023	0.009	
	断面積		0.032								V		0.32 m3		
	No. 48	走路幅		6.089									A	85.61 m2	
測定位置		20	馬場柵	CL				馬場柵							
点間距離			0.500	1.000	4.201	4.813	0.187	0.658	4.342	5.000	0.449	0.640			
現況高			13.268	13.277	13.355	13.386	13.349	13.348	13.346	13.441	13.289	13.290			13.295
計画高			13.086	13.096	13.116	13.200	13.296	13.300	13.313	13.400	13.350	13.346			13.295
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	7.97%			
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.061	0.056			0.000
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.153	0.026	0.018			
断面積			0.197								V	2.29 m3			
No. 49		走路幅		5.449								A			115.38 m2
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	4.461	5.000	5.000	3.932	0.817	0.700					
	現況高		13.282	13.283	13.332	13.361	13.357	13.413	13.319	13.320	13.284				
	計画高		13.081	13.091	13.111	13.200	13.300	13.400	13.361	13.353	13.284				
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	9.86%					
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.042	0.033	0.000				
	点間面積		0.000	0.000	0.000	0.000	0.000	0.083	0.031	0.012					
	断面積		0.125								V		3.21 m3		

笠松競馬場本走路舗装断面計算表 (修正(補充層))										面積 A			
測点	種別	区間距離								体積 V			
No. 50	走路幅		2.682							A	81.31 m2		
	測定位置	20	馬場柵	CL			馬場柵						
	点間距離		0.500	1.000	4.838	5.000	5.000	2.012	0.670				
	現況高		13.239	13.245	13.302	13.356	13.360	13.362	13.269			13.244	
	計画高		13.073	13.083	13.103	13.200	13.300	13.400	13.380			13.244	
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	20.30%				
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.038	0.111			0.000	
	点間面積		0.000	0.000	0.000	0.000	0.095	0.150	0.037				
	断面積		0.282									V	4.07 m3
	No. 51	走路幅		3.147								A	58.29 m2
測定位置		20	馬場柵	CL			馬場柵						
点間距離			0.500	1.000	4.653	5.000	1.696	3.304	2.497	0.650			
現況高			13.180	13.233	13.306	13.352	13.349	13.365	13.309	13.203	13.189		
計画高			13.077	13.087	13.107	13.200	13.300	13.334	13.301	13.276	13.189		
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	13.38%			
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.073	0.000		
点間面積			0.000	0.000	0.000	0.000	0.000	0.000	0.091	0.024			
断面積			0.115							V	3.97 m3		
No. 52		走路幅		3.057							A		
	測定位置	20	馬場柵	CL			馬場柵						
	点間距離		0.500	1.000	4.523	5.000	1.053	3.947	2.417	0.640			
	現況高		13.205	13.248	13.258	13.320	13.319	13.330	13.273	13.160		13.134	
	計画高		13.079	13.089	13.109	13.200	13.300	13.321	13.282	13.258		13.134	
	計画勾配		2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	19.37%			
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.009	0.098		0.000	
	点間面積		0.000	0.000	0.000	0.000	0.000	0.018	0.129	0.031			
	断面積		0.178							V		2.93 m3	
	No. 53	走路幅		3.488								A	65.45 m2
測定位置		20	馬場柵	CL			馬場柵						
点間距離			0.500	1.000	4.022	5.000	2.563	2.437	2.838	0.650			
現況高			13.227	13.212	13.233	13.285	13.298	13.321	13.254	13.107	13.009		
計画高			13.059	13.069	13.089	13.170	13.270	13.321	13.297	13.063	13.009		
計画勾配			2.00%	2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	8.26%			
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.043	0.000	0.000		
点間面積			0.000	0.000	0.000	0.000	0.000	0.052	0.061	0.000			
断面積			0.113							V	2.92 m3		
No. 54		走路幅		9.100							A		
	測定位置	20	馬場柵	CL			馬場柵	側溝					
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	1.240				
	現況高		13.081	13.204	13.214	13.254	13.255	13.158	12.968	12.910			
	計画高		13.060	13.070	13.090	13.170	13.270	13.220	13.191	12.910			
	計画勾配		2.00%	2.00%	2.00%	2.00%	1.00%	1.00%	7.56%				
	差(現-計)		0.000	0.000	0.000	0.000	0.015	0.062	0.223	0.000			
	点間面積		0.000	0.000	0.000	0.037	0.193	0.408	0.138				
	断面積		0.776							V		8.89 m3	

笠松競馬場本走路舗装断面計算表 (整正 (補充層))										面積 A 体積 V		
測点	種別	区間距離										
No. 55	走路幅		4.450							A	135.50 m2	
	測定位置	20	馬場柵		CL			馬場柵 側溝				
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	1.590			
	現況高		13.219	13.167	13.190	13.256	13.185	13.080	12.912	12.852		
	計画高		13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.852		
	計画勾配		2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	4.90%			
	差(現-計)		0.000	0.000	0.000	0.000	0.000	0.000	0.129	0.000		
	点間面積		0.000	0.000	0.000	0.000	0.000	0.184	0.103			
	断面積					0.287					V	10.63 m3
	No. 0	走路幅		4.410							A	33.04 m2
測定位置		7.46	馬場柵		CL			馬場柵 側溝				
点間距離			0.500	1.000	4.000	5.000	5.000	2.860	1.550			
現況高			13.206	13.154	13.189	13.237	13.165	13.079	12.917	12.828		
計画高			13.060	13.070	13.090	13.170	13.120	13.070	13.041	12.828		
計画勾配			2.00%	2.00%	2.00%	1.00%	1.00%	1.00%	5.49%			
差(現-計)			0.000	0.000	0.000	0.000	0.000	0.000	0.124	0.000		
点間面積			0.000	0.000	0.000	0.000	0.000	0.177	0.096			
断面積						0.273					V	2.09 m3
		面積(m2)									ΣA	2,499.4 m2
	体積(m3)									ΣV	141.7 m3	