

笠松競馬場本走路舗装断面計算表 (移動(クッション砂))											面積 A 体積 V	
測点	種別	区間距離										
No. 0 (B.P)	走路幅		19.910									
	測定位置		馬場柵	CL				馬場柵	側溝			
	点間距離	0	0.500	1.000	4.000	5.000	5.000	2.860	1.550			
	現況砂高		13.322	13.304	13.320	13.338	13.276	13.100	12.991	12.828		
	現況地盤高		13.206	13.154	13.189	13.237	13.165	13.079	12.917	12.828		
	地盤勾配		10.40%	-3.50%	-1.20%	1.44%	1.72%	5.65%	5.69%			
	砂厚さ(差)		0.116	0.150	0.131	0.101	0.111	0.021	0.073	0.000		
	点間面積		0.067	0.141	0.464	0.530	0.330	0.135	0.057			
	断面積		1.722									
	No. 1	走路幅		19.830								A
測定位置		20	馬場柵	CL				馬場柵	側溝			
点間距離			0.500	1.000	4.000	5.000	5.000	2.860	1.470			
現況砂高			13.281	13.287	13.310	13.320	13.280	13.109	13.031	12.824		
現況地盤高			13.206	13.137	13.189	13.237	13.171	13.100	12.933	12.824		
地盤勾配			13.80%	-5.20%	-1.20%	1.32%	1.42%	5.84%	6.37%			
砂厚さ(差)			0.075	0.150	0.121	0.083	0.109	0.009	0.098	0.000		
点間面積			0.056	0.136	0.408	0.480	0.295	0.153	0.072			
断面積			1.599								V	33.21 m3
No. 2		走路幅		19.810								A
	測定位置	20	馬場柵	CL				馬場柵	側溝			
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	1.450			
	現況砂高		13.324	13.303	13.311	13.340	13.273	13.104	12.996	12.785		
	現況地盤高		13.177	13.143	13.191	13.251	13.162	13.095	12.883	12.785		
	地盤勾配		6.80%	-4.80%	-1.50%	1.78%	1.34%	7.41%	7.19%			
	砂厚さ(差)		0.147	0.160	0.120	0.089	0.111	0.009	0.113	0.000		
	点間面積		0.077	0.140	0.418	0.500	0.300	0.174	0.082			
	断面積		1.690								V	32.89 m3
	No. 3	走路幅		19.800								A
測定位置		20	馬場柵	CL				馬場柵	側溝			
点間距離			0.500	1.000	4.000	5.000	4.844	0.156	2.860	1.440		
現況砂高			13.307	13.316	13.318	13.347	13.262	13.101	13.093	12.967	12.777	
現況地盤高			13.260	13.155	13.179	13.245	13.163	13.090	13.084	12.868	12.777	
地盤勾配			21.00%	-2.40%	-1.65%	1.64%	1.51%	3.85%	7.55%	7.14%		
砂厚さ(差)			0.047	0.161	0.139	0.102	0.099	0.011	0.009	0.099	0.000	
点間面積			0.052	0.150	0.482	0.503	0.267	0.002	0.154	0.071		
断面積			1.680								V	33.70 m3
No. 4		走路幅		19.770								A
	測定位置	20	馬場柵	CL				馬場柵	側溝			
	点間距離		0.500	1.000	4.000	5.000	4.468	0.532	2.860	1.410		
	現況砂高		13.383	13.318	13.328	13.347	13.256	13.106	13.081	12.949	12.759	
	現況地盤高		13.238	13.167	13.196	13.246	13.167	13.098	13.078	12.859	12.759	
	地盤勾配		14.20%	-2.90%	-1.25%	1.58%	1.54%	3.76%	7.66%	7.47%		
	砂厚さ(差)		0.145	0.151	0.132	0.101	0.089	0.008	0.003	0.090	0.000	
	点間面積		0.074	0.142	0.466	0.475	0.217	0.003	0.133	0.063		
	断面積		1.572								V	32.52 m3

笠松競馬場本走路舗装断面計算表 (移動(クッション砂))											面積 A			
測点	種別	区間距離									体積 V			
No. 5	走路幅		19.730								A	395.00 m2		
	測定位置	20	馬場柵	CL				馬場柵 側溝						
	点間距離		0.500	1.000	4.000	5.000	4.250	0.750	2.860	1.370				
	現況砂高		13.271	13.286	13.313	13.353	13.278	13.115	13.088	12.950			12.803	
	現況地盤高		13.203	13.165	13.192	13.242	13.167	13.101	13.079	12.861			12.803	
	地盤勾配		7.60%	-2.70%	-1.25%	1.50%	1.55%	2.93%	7.62%	6.52%				
	砂厚さ(差)		0.068	0.121	0.121	0.111	0.111	0.014	0.009	0.089			0.000	
	点間面積		0.047	0.121	0.464	0.555	0.266	0.009	0.140	0.061				
	断面積		1.662										V	32.34 m3
	No. 6	走路幅		19.710									A	394.40 m2
測定位置		20	馬場柵	CL				馬場柵 側溝						
点間距離			0.500	1.000	4.000	5.000	4.211	0.789	2.860	1.350				
現況砂高			13.331	13.312	13.311	13.351	13.270	13.122	13.090	12.952	12.735			
現況地盤高			13.165	13.182	13.182	13.250	13.169	13.107	13.075	12.852	12.735			
地盤勾配			-3.40%	0.00%	-1.70%	1.62%	1.47%	4.06%	7.80%	8.08%				
砂厚さ(差)			0.166	0.130	0.129	0.101	0.101	0.015	0.015	0.100	0.000			
点間面積			0.074	0.129	0.460	0.505	0.243	0.012	0.164	0.067				
断面積			1.655								V	33.16 m3		
No. 7		走路幅		19.550								A		
	測定位置	20	馬場柵	CL				馬場柵 側溝						
	点間距離		0.500	1.000	4.000	5.000	3.718	1.282	2.860	1.190				
	現況砂高		13.305	13.305	13.314	13.348	13.313	13.139	13.097	12.968	12.719			
	現況地盤高		13.215	13.175	13.183	13.247	13.167	13.115	13.079	12.828	12.719			
	地盤勾配		8.00%	-0.80%	-1.60%	1.60%	1.40%	2.81%	8.78%	8.89%				
	砂厚さ(差)		0.090	0.130	0.131	0.101	0.146	0.024	0.018	0.140	0.000			
	点間面積		0.055	0.131	0.464	0.618	0.317	0.027	0.226	0.083				
	断面積		1.919								V		35.74 m3	
	No. 8	走路幅		19.460									A	390.10 m2
測定位置		20	馬場柵	CL				馬場柵 側溝						
点間距離			0.500	1.000	4.000	5.000	1.803	3.197	2.860	1.100				
現況砂高			13.304	13.306	13.311	13.350	13.280	13.228	13.077	12.990	12.706			
現況地盤高			13.153	13.175	13.190	13.229	13.149	13.115	13.070	12.841	12.706			
地盤勾配			-4.40%	-1.50%	-0.97%	1.60%	1.91%	1.40%	8.00%	9.19%				
砂厚さ(差)			0.151	0.131	0.121	0.121	0.131	0.114	0.007	0.148	0.000			
点間面積			0.070	0.126	0.484	0.630	0.221	0.193	0.222	0.082				
断面積			2.028								V	39.47 m3		
No. 9		走路幅		19.180								A		
	測定位置	20	馬場柵	CL				馬場柵 側溝						
	点間距離		0.500	1.000	4.000	5.000	2.561	2.439	2.860	0.820				
	現況砂高		13.298	13.325	13.327	13.333	13.277	13.214	13.085	13.100	12.714			
	現況地盤高		13.132	13.166	13.206	13.232	13.157	13.129	13.070	12.924	12.714			
	地盤勾配		-6.80%	-4.00%	-0.65%	1.50%	1.08%	2.43%	5.10%	9.67%				
	砂厚さ(差)		0.166	0.159	0.121	0.101	0.120	0.084	0.015	0.176	0.000			
	点間面積		0.081	0.140	0.444	0.553	0.261	0.121	0.273	0.072				
	断面積		1.945								V		39.73 m3	

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))															面積 A 体積 V									
測点	種別	区間距離																						
No. 10 (BC.1)	走路幅		18.830												A	380.10	m2							
	測定位置	20	馬場柵				CL				馬場柵							側溝						
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	0.470															
	現況砂高		13.319	13.313	13.309	13.327	13.249	13.113	13.111	12.695														
	現況地盤高		13.073	13.163	13.189	13.206	13.148	13.090	12.923	12.695														
	地盤勾配		-18.00%	-2.60%	-0.42%	1.16%	1.16%	5.84%	11.86%															
	砂厚さ(差)		0.246	0.150	0.120	0.121	0.101	0.023	0.188	0.000														
	点間面積		0.099	0.135	0.482	0.555	0.310	0.301	0.044															
	断面積		1.926															V	38.71	m3				
	No. 11	走路幅		21.179																	A	400.09	m2	
測定位置		20	馬場柵				CL				馬場柵				側溝									
点間距離			0.329	1.000	4.405	5.000	5.000	5.015	0.430															
現況砂高			13.348	13.287	13.290	13.344	13.266	13.156	13.009	12.687														
現況地盤高			13.121	13.133	13.169	13.246	13.156	13.098	12.840	12.687														
地盤勾配			-3.65%	-3.60%	-1.75%	1.80%	1.16%	5.14%	7.55%															
砂厚さ(差)			0.227	0.154	0.121	0.098	0.109	0.058	0.169	0.000														
点間面積			0.063	0.137	0.483	0.519	0.419	0.571	0.036															
断面積			2.229												V	41.55	m3							
No. 12		走路幅		29.943														A	511.22	m2				
	測定位置	20	馬場柵				CL				馬場柵													
	点間距離		0.500	1.000	4.943	5.000	5.000	5.000	2.500	1.000														
	現況砂高		13.258	13.311	13.350	13.411	13.448	13.476	13.430	13.269	13.158	13.039												
	現況地盤高		13.082	13.175	13.229	13.292	13.337	13.394	13.350	13.238	12.978	13.039												
	地盤勾配		-18.60%	-5.40%	-1.27%	-0.90%	-1.14%	0.88%	2.23%	10.42%	5.70%													
	砂厚さ(差)		0.176	0.136	0.121	0.119	0.111	0.082	0.080	0.031	0.180	0.000												
	点間面積		0.078	0.129	0.593	0.574	0.480	0.404	0.276	0.263	0.090													
	断面積		2.885																		V	51.14	m3	
	No. 13	走路幅		21.450												25.550								A
測定位置		20	馬場柵				CL				U天													
点間距離			0.500	1.000	5.034	5.000	5.000	2.956	0.988	0.972	2.050	3.034	5.000	5.000	5.000	4.547	0.919							
現況砂高			13.372	13.324	13.357	13.412	13.443	13.471	13.546	13.359	13.477	13.500	13.521	13.530	13.510	13.480	13.450	13.457						
現況地盤高			13.144	13.203	13.225	13.290	13.334	13.401	13.395	13.359	13.477	13.349	13.441	13.443	13.389	13.390	13.311	13.337						
地盤勾配			-11.80%	-2.20%	-1.30%	-0.88%	-1.34%	0.20%	3.64%	-12.14%	6.24%	-3.03%	-0.04%	1.08%	-0.02%	1.74%	-2.83%							
砂厚さ(差)			0.228	0.121	0.132	0.121	0.109	0.070	0.151	0.000	0.000	0.151	0.080	0.087	0.121	0.090	0.139	0.120						
点間面積			0.087	0.127	0.638	0.576	0.448	0.326	0.074	0.000	0.155	0.350	0.418	0.520	0.528	0.521	0.119							
断面積			2.276												2.610		V	77.71	m3					
No. 14		走路幅		22.487												25.563				A	439.37	m2		
	測定位置	20	馬場柵				CL				G天													
	点間距離		0.500	1.000	5.087	5.000	5.000	3.000	2.000	0.900	4.100	5.000	5.000	5.000	5.000	1.463								
	現況砂高		13.387	13.390	13.370	13.401	13.377	13.399	13.404	13.385	13.354	13.322	13.298	13.252	13.211	13.216							13.228	
	現況地盤高		13.186	13.189	13.220	13.283	13.270	13.314	13.282	13.240	13.272	13.281	13.245	13.192	13.170	13.096							13.108	
	地盤勾配		-0.60%	-3.10%	-1.24%	0.26%	-0.89%	1.08%	2.10%	0.72%	0.01%	-0.05%	0.57%	0.74%	0.99%	0.73%								
	砂厚さ(差)		0.201	0.201	0.150	0.118	0.107	0.084	0.121	0.145	0.082	0.041	0.053	0.060	0.041	0.120							0.120	
	点間面積		0.101	0.176	0.682	0.563	0.478	0.309	0.266	0.102	0.251	0.235	0.283	0.253	0.402	0.176								
	断面積		2.677												1.599								V	49.53

笠松競馬場本走路舗装断面計算表 (移動(クッション砂))												面積 A		
測点	種別	区間距離										体積 V		
No. 15	走路幅		20.700									A	431.87 m2	
	測定位置	20	馬場柵	CL				馬場柵						U天
	点間距離		0.500	1.000	5.247	5.000	5.000	3.053	0.900					
	現況砂高		13.375	13.381	13.361	13.376	13.364	13.360	13.404	13.237				
	現況地盤高		13.195	13.200	13.221	13.258	13.278	13.302	13.234	13.131				
	地盤勾配		-1.00%	-2.10%	-0.71%	-0.40%	-0.48%	2.23%	4.33%					
	砂厚さ(差)		0.180	0.181	0.140	0.118	0.086	0.058	0.170	0.106				
	点間面積		0.090	0.161	0.676	0.509	0.359	0.347	0.124					
	断面積		2.266									V	49.43 m3	
	No. 16	走路幅		20.380									A	410.80 m2
測定位置		20	馬場柵	CL				馬場柵						
点間距離			0.500	1.000	5.299	5.000	5.000	3.001	0.580					
現況砂高			13.365	13.390	13.400	13.365	13.386	13.382	13.486	13.392				
現況地盤高			13.214	13.199	13.222	13.275	13.277	13.323	13.285	13.392				
地盤勾配			3.00%	-2.30%	-1.00%	-0.04%	-0.91%	1.26%	-18.45%					
砂厚さ(差)			0.151	0.191	0.178	0.090	0.109	0.060	0.201	0.000				
点間面積			0.086	0.185	0.710	0.497	0.420	0.391	0.058					
断面積			2.346									V	46.13 m3	
No. 17		走路幅		21.200									A	415.80 m2
	測定位置	20	馬場柵	CL				馬場柵						
	点間距離		0.500	1.000	4.905	5.000	5.000	1.823	2.122	0.850				
	現況砂高		13.369	13.383	13.377	13.369	13.386	13.356	13.335	13.407	13.282			
	現況地盤高		13.241	13.202	13.226	13.261	13.275	13.302	13.236	13.235	13.282			
	地盤勾配		7.80%	-2.40%	-0.71%	-0.28%	-0.54%	3.62%	0.05%	-5.53%				
	砂厚さ(差)		0.128	0.181	0.151	0.108	0.111	0.054	0.099	0.172	0.000			
	点間面積		0.077	0.166	0.636	0.548	0.413	0.139	0.288	0.073				
	断面積		2.340									V	46.87 m3	
	No. 18	走路幅		24.700									A	459.00 m2
測定位置		20	馬場柵	CL				馬場柵						
点間距離			0.500	1.000	4.273	5.000	5.000	5.000	3.227	0.700				
現況砂高			13.184	13.337	13.327	13.349	13.373	13.363	13.317	13.310	13.048			
現況地盤高			12.984	13.137	13.217	13.293	13.243	13.296	13.257	13.157	13.048			
地盤勾配			-30.60%	-8.00%	-1.78%	1.00%	-1.06%	0.78%	3.10%	15.57%				
砂厚さ(差)			0.200	0.200	0.110	0.056	0.130	0.067	0.060	0.153	0.000			
点間面積			0.100	0.155	0.354	0.464	0.492	0.317	0.343	0.053				
断面積			2.278									V	46.19 m3	
No. 19		走路幅		24.190					12.970					A
	測定位置	20	馬場柵	CL				馬場柵						
	点間距離		0.500	1.000	2.690	5.000	5.000	5.000	5.000	5.000	1.439	1.531		
	現況砂高		13.249	13.398	13.369	13.389	13.421	13.373	13.337	13.355	13.402	13.316	13.314	13.268
	現況地盤高		13.148	13.180	13.251	13.266	13.252	13.280	13.217	13.245	13.309	13.316	13.314	13.268
	地盤勾配		-6.40%	-7.10%	-0.56%	0.28%	-0.56%	1.26%	-0.56%	-1.27%				
	砂厚さ(差)		0.101	0.218	0.118	0.123	0.169	0.093	0.121	0.110	0.094			
	点間面積		0.080	0.168	0.325	0.731	0.655	0.534	0.575	0.508				
	断面積		3.575									V	58.53 m3	

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))												面積 A		
測点	種別	区間距離										体積 V		
No. 20	走路幅		21.000									A	451.90 m2	
	測定位置	20	馬場柵	CL					馬場柵					
	点間距離		0.500	1.000	1.677	4.268	0.732	2.788	2.212	3.000	3.223	1.600		
	現況砂高		13.345	13.413	13.372	13.383	13.412	13.420	13.387	13.359	13.340	13.403	13.276	
	現況地盤高		13.224	13.235	13.256	13.277	13.296	13.301	13.259	13.271	13.264	13.275	13.276	
	地盤勾配		-2.20%	-2.10%	-1.25%	-0.45%	-0.68%	1.51%	-0.55%	0.23%	-0.34%	-0.06%		
	砂厚さ(差)		0.121	0.178	0.116	0.106	0.116	0.119	0.128	0.088	0.076	0.128	0.000	
	点間面積		0.075	0.147	0.186	0.474	0.086	0.345	0.239	0.246	0.329	0.102		
	断面積		2.229									V	58.04 m3	
	No. 21	走路幅		20.340									A	413.40 m2
測定位置		20	馬場柵	CL					馬場柵					
点間距離			0.500	1.000	1.373	5.000	5.000	5.000	1.277	1.190				
現況砂高			13.349	13.417	13.394	13.415	13.451	13.401	13.302	13.325	13.205			
現況地盤高			13.201	13.296	13.316	13.321	13.314	13.317	13.225	13.223	13.205			
地盤勾配			-19.00%	-2.00%	-0.36%	0.14%	-0.06%	1.84%	0.16%	1.51%				
砂厚さ(差)			0.148	0.121	0.078	0.094	0.137	0.084	0.077	0.102	0.000			
点間面積			0.067	0.099	0.118	0.577	0.552	0.402	0.114	0.061				
断面積			1.990									V	42.19 m3	
No. 22		走路幅		21.320									A	416.60 m2
	測定位置	20	馬場柵	CL					馬場柵					
	点間距離		0.500	1.000	0.300	2.274	5.000	5.000	5.000	0.776	1.470			
	現況砂高		13.424	13.394	13.365	13.429	13.444	13.452	13.420	13.336	13.411	13.160		
	現況地盤高		13.277	13.287	13.307	13.313	13.346	13.336	13.344	13.246	13.256	13.160		
	地盤勾配		-2.00%	-2.00%	-2.00%	-1.45%	0.21%	-0.18%	1.97%	-1.29%	6.53%			
	砂厚さ(差)		0.147	0.107	0.058	0.116	0.098	0.117	0.075	0.090	0.155	0.000		
	点間面積		0.063	0.083	0.026	0.243	0.536	0.480	0.414	0.095	0.114			
	断面積		2.053									V	40.43 m3	
	No. 23	走路幅		20.990									A	423.10 m2
測定位置		20	馬場柵	CL					馬場柵					
点間距離			0.500	1.000	1.090	3.427	5.000	5.000	4.473	0.500				
現況砂高			13.313	13.358	13.420	13.432	13.482	13.490	13.461	13.485	13.459			
現況地盤高			13.252	13.262	13.282	13.304	13.360	13.359	13.366	13.340	13.459			
地盤勾配			-2.00%	-2.00%	-2.02%	-1.63%	0.03%	-0.15%	0.58%	-23.80%				
砂厚さ(差)			0.061	0.096	0.137	0.128	0.122	0.132	0.095	0.145	0.000			
点間面積			0.039	0.117	0.145	0.428	0.634	0.566	0.536	0.036				
断面積			2.502									V	45.56 m3	
No. 24		走路幅		21.960									A	429.50 m2
	測定位置	20	馬場柵	CL					馬場柵		馬場柵			
	点間距離		0.500	1.000	2.310	4.000	5.000	5.000	1.000	2.330	0.820			
	現況砂高		13.304	13.314	13.334	13.510	13.530	13.536	13.490	13.489	13.504	13.483		
	現況地盤高		13.304	13.314	13.334	13.380	13.410	13.386	13.410	13.389	13.372	13.333		
	地盤勾配		-2.00%	-2.00%	-1.99%	-0.75%	0.48%	-0.48%	2.10%	0.73%	4.76%			
	砂厚さ(差)		0.000	0.000	0.000	0.130	0.120	0.150	0.080	0.100	0.132	0.150		
	点間面積		0.000	0.000	0.150	0.500	0.675	0.575	0.090	0.271	0.116			
	断面積		2.377									V	48.79 m3	

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))												面積 A	
測点	種別	区間距離										体積 V	
No. 25	走路幅		23.150									A	451.10 m2
	測定位置	20	馬場柵	CL				馬場柵	馬場柵				
	点間距離		0.500	1.000	3.360	3.860	5.000	5.000	1.000	2.690	0.740		
	現況砂高		13.357	13.367	13.387	13.604	13.626	13.649	13.616	13.593	13.601	13.598	
	現況地盤高		13.357	13.367	13.387	13.454	13.518	13.516	13.519	13.499	13.451	13.448	
	地盤勾配		-2.00%	-2.00%	-1.99%	-1.67%	0.05%	-0.07%	2.04%	1.78%	0.41%		
	砂厚さ(差)		0.000	0.000	0.000	0.150	0.107	0.134	0.096	0.094	0.150	0.150	
	点間面積		0.000	0.000	0.251	0.495	0.602	0.575	0.095	0.328	0.111		
	断面積		2.458									V	48.34 m3
	No. 26	走路幅		23.330									A
測定位置		20	馬場柵	CL				馬場柵	馬場柵				
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.050	0.780		
現況砂高			13.486	13.496	13.516	13.713	13.732	13.702	13.576	13.530	13.563	13.557	
現況地盤高			13.486	13.496	13.516	13.596	13.632	13.552	13.436	13.400	13.425	13.417	
地盤勾配			-2.00%	-2.00%	-2.67%	-0.90%	1.60%	2.32%	3.60%	-0.81%	0.97%		
砂厚さ(差)			0.000	0.000	0.000	0.117	0.100	0.150	0.140	0.130	0.139	0.140	
点間面積			0.000	0.000	0.175	0.434	0.625	0.725	0.135	0.410	0.109		
断面積			2.613									V	50.71 m3
No. 27		走路幅		23.340									A
	測定位置	20	馬場柵	CL				馬場柵	馬場柵				
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.100	0.740		
	現況砂高		13.616	13.626	13.646	13.851	13.855	13.806	13.727	13.675	13.671	13.659	
	現況地盤高		13.616	13.626	13.646	13.726	13.755	13.666	13.597	13.595	13.531	13.489	
	地盤勾配		-2.00%	-2.00%	-2.67%	-0.72%	1.78%	1.38%	0.20%	2.08%	5.62%		
	砂厚さ(差)		0.000	0.000	0.000	0.125	0.100	0.140	0.130	0.080	0.140	0.170	
	点間面積		0.000	0.000	0.188	0.450	0.600	0.675	0.105	0.341	0.115		
	断面積		2.473									V	50.86 m3
	No. 28	走路幅		23.325									A
測定位置		20	馬場柵	CL				馬場柵	馬場柵				
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.080	0.745		
現況砂高			13.767	13.777	13.797	14.007	14.012	13.959	13.843	13.818	13.831	13.816	
現況地盤高			13.767	13.777	13.797	13.877	13.932	13.829	13.753	13.738	13.663	13.646	
地盤勾配			-2.00%	-2.00%	-2.67%	-1.37%	2.06%	1.52%	1.50%	2.44%	2.28%		
砂厚さ(差)			0.000	0.000	0.000	0.130	0.080	0.130	0.090	0.080	0.168	0.170	
点間面積			0.000	0.000	0.195	0.420	0.525	0.550	0.085	0.382	0.126		
断面積			2.283									V	47.56 m3
No. 29		走路幅		23.320									A
	測定位置	20	馬場柵	CL				馬場柵	馬場柵				
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.080	0.740		
	現況砂高		13.957	13.967	13.987	14.207	14.182	14.132	14.013	13.992	14.016	14.010	
	現況地盤高		13.957	13.967	13.987	14.067	14.092	14.002	13.883	13.892	13.870	13.840	
	地盤勾配		-2.00%	-2.00%	-2.67%	-0.63%	1.80%	2.38%	-0.90%	0.71%	4.05%		
	砂厚さ(差)		0.000	0.000	0.000	0.140	0.090	0.130	0.130	0.100	0.146	0.170	
	点間面積		0.000	0.000	0.210	0.460	0.550	0.650	0.115	0.379	0.117		
	断面積		2.481									V	47.64 m3

笠松競馬場本走路舗装断面計算表 (移動(クッション砂))												面積 A			
測点	種別	区間距離										体積 V			
No. 30	走路幅		23.330									A	466.50 m2		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.070	0.760				
	現況砂高		14.212	14.210	14.204	14.407	14.396	14.348	14.178	14.162	14.211			14.217	
	現況地盤高		14.165	14.175	14.195	14.275	14.316	14.218	14.078	14.042	14.045			14.067	
	地盤勾配		-2.00%	-2.00%	-2.67%	-1.03%	1.96%	2.80%	3.60%	-0.10%	-2.89%				
	砂厚さ(差)		0.047	0.035	0.009	0.132	0.080	0.130	0.100	0.120	0.166			0.150	
	点間面積		0.021	0.022	0.212	0.424	0.525	0.575	0.110	0.439	0.120				
	断面積		2.448											V	49.29 m3
	No. 31	走路幅		23.320										A	466.50 m2
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.820				
現況砂高			14.477	14.502	14.539	14.627	14.638	14.580	14.426	14.430	14.470	14.471			
現況地盤高			14.375	14.385	14.405	14.465	14.518	14.420	14.346	14.350	14.350	14.301			
地盤勾配			-2.00%	-2.00%	-2.00%	-1.33%	1.96%	1.48%	-0.40%	0.00%	5.98%				
砂厚さ(差)			0.102	0.117	0.134	0.162	0.120	0.160	0.080	0.080	0.120	0.170			
点間面積			0.055	0.126	0.443	0.564	0.700	0.600	0.080	0.300	0.119				
断面積			2.987									V	54.34 m3		
No. 32		走路幅		23.310									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.810				
	現況砂高		14.614	14.651	14.722	14.835	14.849	14.802	14.701	14.696	14.741	14.711			
	現況地盤高		14.606	14.719	14.636	14.696	14.719	14.662	14.621	14.616	14.591	14.540			
	地盤勾配		-22.60%	8.30%	-2.00%	-0.57%	1.14%	0.82%	0.50%	0.83%	6.30%				
	砂厚さ(差)		0.008	-0.068	0.086	0.139	0.130	0.140	0.080	0.080	0.150	0.171			
	点間面積		-0.015	0.009	0.337	0.538	0.675	0.550	0.080	0.345	0.130				
	断面積		2.663									V		56.50 m3	
	No. 33	走路幅		23.300										A	466.10 m2
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800				
現況砂高			14.749	14.759	14.779	14.991	15.012	14.957	14.822	14.812	14.830	14.865			
現況地盤高			14.749	14.759	14.779	14.839	14.892	14.807	14.712	14.732	14.680	14.695			
地盤勾配			-2.00%	-2.00%	-2.00%	-1.32%	1.70%	1.90%	-2.00%	1.73%	-1.88%				
砂厚さ(差)			0.000	0.000	0.000	0.152	0.120	0.150	0.110	0.080	0.150	0.170			
点間面積			0.000	0.000	0.228	0.544	0.675	0.650	0.095	0.345	0.128				
断面積			2.665									V	53.28 m3		
No. 34		走路幅		23.300									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800				
	現況砂高		14.800	14.810	14.830	15.043	15.037	14.997	14.849	14.841	14.848	14.870			
	現況地盤高		14.800	14.810	14.830	14.890	14.937	14.847	14.769	14.761	14.708	14.646			
	地盤勾配		-2.00%	-2.00%	-2.00%	-1.17%	1.80%	1.56%	0.80%	1.77%	7.75%				
	砂厚さ(差)		0.000	0.000	0.000	0.153	0.100	0.150	0.080	0.080	0.140	0.224			
	点間面積		0.000	0.000	0.229	0.506	0.625	0.575	0.080	0.330	0.146				
	断面積		2.491									V		51.56 m3	

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))												面積 A			
測点	種別	区間距離										体積 V			
No. 35	走路幅		23.300									A	466.00 m2		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.800				
	現況砂高		14.714	14.724	14.743	14.940	14.977	14.911	14.772	14.760	14.731			14.791	
	現況地盤高		14.714	14.724	14.743	14.806	14.857	14.761	14.692	14.690	14.640			14.627	
	地盤勾配		-2.00%	-1.90%	-2.10%	-1.28%	1.92%	1.38%	0.20%	1.67%	1.62%				
	砂厚さ(差)		0.000	0.000	0.000	0.134	0.120	0.150	0.080	0.070	0.091			0.164	
	点間面積		0.000	0.000	0.201	0.508	0.675	0.575	0.075	0.241	0.102				
	断面積		2.378											V	48.69 m3
	No. 36	走路幅		23.270										A	465.70 m2
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.770				
現況砂高			14.501	14.511	14.531	14.739	14.762	14.692	14.549	14.548	14.540	14.648			
現況地盤高			14.501	14.511	14.531	14.591	14.652	14.572	14.479	14.478	14.430	14.388			
地盤勾配			-2.00%	-2.00%	-2.00%	-1.53%	1.60%	1.86%	0.10%	1.60%	5.45%				
砂厚さ(差)			0.000	0.000	0.000	0.148	0.110	0.120	0.070	0.070	0.110	0.260			
点間面積			0.000	0.000	0.222	0.516	0.575	0.475	0.070	0.270	0.142				
断面積			2.270									V	46.48 m3		
No. 37		走路幅		23.320									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.000	4.000	5.000	5.000	1.000	3.000	0.820				
	現況砂高		14.248	14.258	14.278	14.481	14.501	14.462	14.356	14.331	14.350	14.392			
	現況地盤高		14.248	14.258	14.278	14.338	14.371	14.312	14.276	14.261	14.230	14.192			
	地盤勾配		-2.00%	-2.00%	-2.00%	-0.83%	1.18%	0.72%	1.50%	1.03%	4.63%				
	砂厚さ(差)		0.000	0.000	0.000	0.143	0.130	0.150	0.080	0.070	0.120	0.200			
	点間面積		0.000	0.000	0.215	0.546	0.700	0.575	0.075	0.285	0.131				
	断面積		2.527									V		47.97 m3	
	No. 38	走路幅		23.360										A	466.80 m2
測定位置		20	馬場柵	CL				馬場柵	馬場柵						
点間距離			0.500	1.000	3.157	4.000	5.000	4.375	0.625	1.000	2.863	0.840			
現況砂高			14.049	14.037	14.035	14.228	14.260	14.265	14.219	14.207	14.193	14.194	14.201		
現況地盤高			14.005	14.015	14.035	14.098	14.149	14.125	14.129	14.129	14.123	14.054	14.031		
地盤勾配			-2.00%	-2.00%	-2.00%	-1.27%	0.47%	-0.09%	0.00%	0.60%	2.41%	2.74%			
砂厚さ(差)			0.044	0.022	0.000	0.130	0.112	0.140	0.090	0.078	0.070	0.140	0.170		
点間面積			0.016	0.011	0.205	0.483	0.628	0.502	0.052	0.074	0.301	0.130			
断面積			2.403									V	49.30 m3		
No. 39		走路幅		23.220									A		
	測定位置	20	馬場柵	CL				馬場柵	馬場柵						
	点間距離		0.500	1.000	3.311	3.050	5.000	5.000	4.562	0.797					
	現況砂高		13.803	13.771	13.791	13.986	14.010	14.008	14.003	13.999	13.946				
	現況地盤高		13.761	13.771	13.791	13.853	13.890	13.880	13.916	13.894	13.796				
	地盤勾配		-2.00%	-2.00%	-1.87%	-1.21%	0.20%	-0.71%	0.47%	12.33%					
	砂厚さ(差)		0.042	0.000	0.000	0.133	0.120	0.128	0.087	0.104	0.150				
	点間面積		0.010	0.000	0.220	0.386	0.621	0.538	0.436	0.101					
	断面積		2.312									V		47.15 m3	

笠松競馬場本走路舗装断面計算表 (移動(クッション砂))													面積 A	
測点	種別	区間距離											体積 V	
No. 40	走路幅		28.940										A	521.60 m2
	測定位置	20	馬場柵	CL						馬場柵				
	点間距離		0.500	1.000	3.668	2.160	5.000	5.000	5.000	5.000	0.823	0.789		
	現況砂高		13.545	13.546	13.666	13.793	13.796	13.801	13.803	13.855	13.812	13.779	13.738	
	現況地盤高		13.545	13.546	13.570	13.678	13.689	13.681	13.710	13.769	13.699	13.670	13.598	
	地盤勾配		-0.20%	-2.38%	-2.95%	-0.51%	0.16%	-0.58%	-1.17%	1.39%	3.52%	9.13%		
	砂厚さ(差)		0.000	0.000	0.096	0.115	0.107	0.120	0.093	0.087	0.113	0.109	0.140	
	点間面積		0.000	0.048	0.388	0.240	0.567	0.533	0.449	0.500	0.091	0.098		
	断面積		2.915										V	52.27 m3
	No. 41	走路幅		24.070										A
測定位置		20	馬場柵	CL						馬場柵				
点間距離			0.500	1.000	3.845	1.380	5.000	5.000	5.000	1.385	0.960			
現況砂高			13.496	13.506	13.629	13.700	13.692	13.684	13.668	13.671	13.766	13.676		
現況地盤高			13.496	13.506	13.526	13.575	13.579	13.556	13.595	13.621	13.587	13.576		
地盤勾配			-2.00%	-2.00%	-1.28%	-0.29%	0.47%	-0.79%	-0.52%	2.45%	1.15%			
砂厚さ(差)			0.000	0.000	0.103	0.125	0.113	0.128	0.073	0.050	0.179	0.100		
点間面積			0.000	0.052	0.438	0.164	0.604	0.504	0.308	0.159	0.134			
断面積			2.362										V	52.77 m3
No. 42		走路幅		21.420										A
	測定位置	20	馬場柵	CL						馬場柵 側溝				
	点間距離		0.500	1.000	3.979	0.740	5.000	5.000	4.311	0.890				
	現況砂高		13.430	13.449	13.601	13.644	13.637	13.625	13.615	13.637	13.500			
	現況地盤高		13.430	13.440	13.460	13.519	13.527	13.505	13.535	13.516	13.500			
	地盤勾配		-2.00%	-2.00%	-1.48%	-1.08%	0.44%	-0.60%	0.44%	1.80%				
	砂厚さ(差)		0.000	0.009	0.141	0.125	0.110	0.120	0.080	0.121	0.000			
	点間面積		0.002	0.075	0.529	0.087	0.577	0.501	0.433	0.054				
	断面積		2.258										V	46.20 m3
	No. 43	走路幅		20.730										A
測定位置		20	馬場柵	CL						馬場柵 側溝				
点間距離			0.500	1.000	4.148	0.290	5.000	4.423	0.577	4.022	0.770			
現況砂高			13.458	13.551	13.564	13.575	13.575	13.570	13.541	13.537	13.579	13.387		
現況地盤高			13.387	13.397	13.417	13.463	13.465	13.452	13.471	13.467	13.374	13.387		
地盤勾配			-2.00%	-2.00%	-1.12%	-0.55%	0.26%	-0.43%	0.69%	2.31%	-1.69%			
砂厚さ(差)			0.070	0.154	0.147	0.111	0.110	0.118	0.070	0.070	0.205	0.000		
点間面積			0.056	0.151	0.536	0.032	0.572	0.417	0.040	0.553	0.079			
断面積			2.436										V	46.94 m3
No. 44		走路幅		20.900										A
	測定位置	20	馬場柵	CL						馬場柵 側溝				
	点間距離		0.500	1.500	4.065	5.000	3.542	1.458	3.935	0.900				
	現況砂高		13.348	13.490	13.518	13.525	13.534	13.497	13.497	13.515	13.365			
	現況地盤高		13.348	13.358	13.388	13.425	13.425	13.427	13.427	13.435	13.365			
	地盤勾配		-2.00%	-2.00%	-0.91%	0.00%	-0.06%	0.00%	-0.20%	7.78%				
	砂厚さ(差)		0.000	0.132	0.130	0.101	0.109	0.070	0.070	0.080	0.000			
	点間面積		0.033	0.197	0.469	0.524	0.318	0.102	0.296	0.036				
	断面積		1.974										V	44.10 m3

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))											面積 A				
測点	種別	区間距離									体積 V				
No. 45	走路幅		20.030								A	409.30 m2			
	測定位置	20	馬場柵	CL				馬場柵	側溝						
	点間距離		0.500	1.000	3.752	5.000	5.000	3.868	0.910						
	現況砂高		13.419	13.414	13.474	13.491	13.485	13.437	13.452	13.329					
	現況地盤高		13.228	13.293	13.353	13.399	13.363	13.376	13.348	13.329					
	地盤勾配		-13.00%	-6.00%	-1.23%	0.72%	-0.25%	0.71%	2.09%						
	砂厚さ(差)		0.191	0.121	0.121	0.092	0.122	0.061	0.104	0.000					
	点間面積		0.078	0.121	0.399	0.534	0.459	0.320	0.047						
	断面積		1.959										V	39.33 m3	
	No. 46	走路幅		21.830									A	418.60 m2	
測定位置		20	馬場柵	CL				馬場柵	側溝						
点間距離			0.500	1.000	3.351	5.000	5.000	1.665	3.335	1.299	0.680				
現況砂高			13.480	13.431	13.471	13.464	13.492	13.449	13.439	13.410	13.452	13.406			
現況地盤高			13.280	13.260	13.350	13.376	13.367	13.377	13.380	13.358	13.351	13.296			
地盤勾配			4.00%	-9.00%	-0.78%	0.18%	-0.20%	-0.18%	0.66%	0.54%	8.09%				
砂厚さ(差)			0.200	0.171	0.121	0.088	0.125	0.072	0.059	0.052	0.101	0.110			
点間面積			0.093	0.146	0.351	0.532	0.491	0.109	0.185	0.100	0.072				
断面積			2.077								V	40.36 m3			
No. 47		走路幅		22.700								A			445.30 m2
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	3.728	4.969	0.031	0.196	4.804	5.000	1.742		0.730		
	現況砂高		13.408	13.390	13.417	13.498	13.477	13.476	13.473	13.428	13.396		13.427	13.302	
	現況地盤高		13.191	13.270	13.316	13.407	13.367	13.367	13.369	13.380	13.335		13.287	13.302	
	地盤勾配		-15.80%	-4.60%	-2.44%	0.80%	0.00%	-1.12%	-0.22%	0.90%	2.76%		-2.05%		
	砂厚さ(差)		0.217	0.120	0.101	0.091	0.110	0.109	0.103	0.048	0.061		0.140	0.000	
	点間面積		0.084	0.111	0.357	0.499	0.003	0.021	0.364	0.274	0.175		0.051		
	断面積		1.939								V		40.16 m3		
	No. 48	走路幅		21.790									A	444.90 m2	
測定位置		20	馬場柵	CL				馬場柵							
点間距離			0.500	1.000	4.201	4.813	0.187	0.658	4.342	5.000	0.449	0.640			
現況砂高			13.468	13.397	13.474	13.468	13.460	13.461	13.464	13.469	13.398	13.401			13.295
現況地盤高			13.268	13.277	13.355	13.386	13.349	13.348	13.346	13.441	13.289	13.290			13.295
地盤勾配			-1.80%	-7.80%	-0.74%	0.77%	0.53%	0.30%	-2.19%	3.05%	-0.31%	-0.78%			
砂厚さ(差)			0.200	0.120	0.119	0.082	0.111	0.113	0.118	0.028	0.110	0.111			0.000
点間面積			0.080	0.120	0.421	0.464	0.021	0.076	0.317	0.343	0.050	0.036			
断面積			1.927								V	38.66 m3			
No. 49		走路幅		21.410								A			432.00 m2
	測定位置	20	馬場柵	CL				馬場柵							
	点間距離		0.500	1.000	4.461	5.000	5.000	3.932	0.817	0.700					
	現況砂高		13.471	13.401	13.461	13.481	13.482	13.464	13.416	13.432	13.284				
	現況地盤高		13.282	13.283	13.332	13.361	13.357	13.413	13.319	13.320	13.284				
	地盤勾配		-0.20%	-4.90%	-0.64%	0.07%	-1.13%	2.40%	-0.09%	5.10%					
	砂厚さ(差)		0.189	0.118	0.129	0.121	0.125	0.050	0.097	0.113	0.000				
	点間面積		0.077	0.124	0.557	0.613	0.437	0.289	0.085	0.039					
	断面積		2.219								V		41.47 m3		

笠松競馬場本走路舗装断面計算表 (移動 (クッション砂))											面積 A		
測点	種別	区間距離									体積 V		
No. 50	走路幅		19.020								A	404.30 m2	
	測定位置	20	馬場柵	CL				馬場柵					
	点間距離		0.500	1.000	4.838	5.000	5.000	2.012	0.670				
	現況砂高		13.374	13.374	13.454	13.472	13.481	13.425	13.395	13.244			
	現況地盤高		13.239	13.245	13.302	13.356	13.360	13.362	13.269	13.244			
	地盤勾配		-1.20%	-5.70%	-1.12%	-0.08%	-0.04%	4.62%	3.73%				
	砂厚さ(差)		0.135	0.129	0.152	0.116	0.121	0.063	0.126	0.000			
	点間面積		0.066	0.141	0.649	0.592	0.459	0.190	0.042				
	断面積		2.138										
													V
No. 51	走路幅		19.300								A	383.20 m2	
	測定位置	20	馬場柵	CL				馬場柵					
	点間距離		0.500	1.000	4.653	5.000	1.696	3.304	2.497	0.650			
	現況砂高		13.366	13.384	13.427	13.472	13.461	13.431	13.373	13.314			13.189
	現況地盤高		13.180	13.233	13.306	13.352	13.349	13.365	13.309	13.203			13.189
	地盤勾配		-10.68%	-7.30%	-0.99%	0.06%	-0.94%	1.69%	4.25%	2.15%			
	砂厚さ(差)		0.187	0.151	0.121	0.120	0.112	0.066	0.064	0.111			0.000
	点間面積		0.084	0.136	0.561	0.582	0.151	0.215	0.219	0.036			
	断面積		1.984										
													V
No. 52	走路幅		19.080								A	383.80 m2	
	測定位置	20	馬場柵	CL				馬場柵					
	点間距離		0.500	1.000	4.523	5.000	1.053	3.947	2.417	0.640			
	現況砂高		13.381	13.369	13.429	13.440	13.419	13.405	13.330	13.278			13.134
	現況地盤高		13.205	13.248	13.258	13.320	13.319	13.330	13.273	13.160			13.134
	地盤勾配		-8.60%	-1.00%	-1.37%	0.02%	-1.04%	1.44%	4.69%	4.00%			
	砂厚さ(差)		0.176	0.121	0.171	0.120	0.100	0.075	0.057	0.119			0.000
	点間面積		0.074	0.146	0.659	0.551	0.092	0.261	0.213	0.038			
	断面積		2.034										
													V
No. 53	走路幅		19.010								A	380.90 m2	
	測定位置	20	馬場柵	CL				馬場柵					
	点間距離		0.500	1.000	4.022	5.000	2.563	2.437	2.838	0.650			
	現況砂高		13.399	13.342	13.405	13.386	13.419	13.379	13.292	13.180			13.009
	現況地盤高		13.227	13.212	13.233	13.285	13.298	13.321	13.254	13.107			13.009
	地盤勾配		3.00%	-2.10%	-1.29%	-0.26%	-0.90%	2.75%	5.18%	7.02%			
	差(現-計)		0.172	0.130	0.172	0.101	0.121	0.058	0.038	0.073			0.000
	点間面積		0.075	0.151	0.549	0.555	0.230	0.118	0.158	0.024			
	断面積		1.860										
													V
No. 54	走路幅		19.600								A	386.10 m2	
	測定位置	20	馬場柵	CL				馬場柵	側溝				
	点間距離		0.500	1.000	4.000	5.000	5.000	2.860	1.240				
	現況砂高		13.331	13.337	13.346	13.375	13.337	13.196	13.025	12.910			
	現況地盤高		13.081	13.204	13.214	13.254	13.255	13.158	12.968	12.910			
	地盤勾配		-24.60%	-1.00%	-1.00%	-0.02%	1.94%	6.64%	6.05%				
	砂厚さ(差)		0.250	0.133	0.132	0.121	0.082	0.038	0.057	0.000			
	点間面積		0.096	0.132	0.506	0.507	0.300	0.136	0.035				
	断面積		1.713										
													V

